

## S 10 / SDR 21 / PN - 10

Dia. Nominal (mm)	Dia. Exterior (mm)	Long. Total (m)	Long. Útil (m)	Espesor (mm)	Dia. Interior (mm)
63	63.0	6.0	5.88	3.00	57.00
75	75.0	6.0	5.87	3.60	67.80
90	90.0	6.0	5.86	4.30	81.40
110	110.0	6.0	5.85	5.30	99.40
140	140.0	6.0	5.84	6.70	126.60
160	160.0	6.0	5.83	7.70	144.60
200	200.0	6.0	5.82	9.60	180.80
250	250.0	6.0	5.79	11.90	226.20
315	315.0	6.0	5.77	15.00	285.00
355	355.0	6.0	5.75	16.90	321.20
400	400.0	6.0	5.73	19.10	361.80
450	450.0	6.0	5.70	21.50	407.00
500	500.0	6.0	5.65	23.90	452.20
630	630.0	6.0	5.62	30.00	570.00

\* Para determinar el espesor de pared nominal se considero un coeficiente de diseño  $F=2,5$ .